

# Football & Rugby

*In 1965, AAE introduced its own football and rugby goal posts to local schools and universities. Our reputation for designing quality custom equipment is what ultimately spawned our manufacturing of the first portable football goals for the Philadelphia Eagles' summer camps in 1968. And even today, from hinged goal posts to custom end-zone platforms, AAE football equipment can be found in numerous NFL stadiums.*




# Hinged Football Goals

## Hinged Offset Football Goals

- Ideal for stadiums used for multiple sports and/or events
- Allows maintenance crews to assemble and disassemble goals at ground level - easier and safer to install or remove than other offset goals
- Unique hinged base plate permits removal and reinstallation of the goals by following these easy steps:
  1. Simply remove anchoring bolts
  2. Pivot goal forward to lower to ground level
  3. Remove each upright and crossbar
  4. Disengage pin from 3/4" thick steel hinged base plate to detach centerpost
- Six-foot offset centerpost is fabricated of 5-1/2" diameter steel
- Exclusive "C-Channel" attaches to the 5-1/2" diameter heavy-wall aluminum crossbar
- Uprights are 20' high (30' for pro model), 4" diameter structural aluminum tubing
- Uprights spaced 23' 4" apart for high school, while the college and pro models are 18' 6"
- High school and college models feature a white or yellow powder-coated finish on the entire goal for minimal maintenance
- Pro models are finished with a three-step painting process with a baked enamel Day-Glo® Saturn Yellow finish for even higher visibility
- All hardware is galvanized steel

|                               |                     |
|-------------------------------|---------------------|
| <b>HSG-HS</b>                 | <b>\$9,250/pr.</b>  |
| <b>HSG-NCAA</b>               | <b>\$9,250/pr.</b>  |
| <b>HSG-PRO</b>                | <b>\$11,450/pr.</b> |
| <b>HSG-HS/8 (8' offset)</b>   | <b>\$9,800/pr.</b>  |
| <b>HSG-NCAA/8 (8' offset)</b> | <b>\$9,800/pr.</b>  |



*HSG-PRO Model Shown  
Lincoln Financial Field  
Home of the Philadelphia Eagles*



*Unique hinged base plate design makes erecting and dismantling the goal an easier job.*



*Welded bracket permits a winch and cable to mechanically raise and lower the entire goal.*



## ◀ EXCLUSIVE! The RazerR

- The RazerR is used with AAE hinged style football goal posts to automate the raising and lowering it in under 30 seconds
- Constructed of a welded reinforced steel frame
- Powder-coated in a durable safety orange
- Pneumatic wheels make unit completely portable - roll out only when needed
- Includes electric winch with remote and battery holder (battery not included)
- Facilitates replacing torn upright flags and removal of goals

**RAZERR** **\$2,250**



## Foundation Box & Cover

- Gives offset goals a "finished look" and creates an easy access point to remove goals
- Heavy-duty 12-gauge galvanized steel formed frame with offset angles for turf attachment
- Covers fabricated of 11-gauge aluminum with welded structural reinforcements
- Includes two box frames, two pairs of half covers and two full covers

|                               |                    |
|-------------------------------|--------------------|
| <b>FBC-GA/ASG (ASG goals)</b> | <b>\$1,450/pr.</b> |
| <b>FBC-GA/HSG (HSG goals)</b> | <b>\$1,650/pr.</b> |


*For questions and discount pricing, call 800.523.5471*

## Offset Football Goals

- Six-foot offset centerpost is fabricated of 5-1/2" diameter zinc-coated and primed steel
- Welded 3/4" thick steel plate for ground anchoring
- Exclusive "C-Channel" attaches to the 5-1/2" diameter heavy-wall aluminum crossbar
- 20' high uprights (30' for pro model) are made of 4" diameter structural aluminum tubing
- Specially engineered sub-surface plate allows easy installation and adjustments - no ground sleeves
- Uprights spaced 23' 4" apart for high school, while the college and pro models are 18' 6"
- All hardware is galvanized steel
- Entire goal features a white or yellow powder-coated finish for minimal maintenance
- Optional FBC Foundation Box & Cover provides easy access for goal removal
- Custom centerpost powder-coating available for additional cost

|                 |                    |
|-----------------|--------------------|
| <b>ASG-HS</b>   | <b>\$8,100/pr.</b> |
| <b>ASG-NCAA</b> | <b>\$8,100/pr.</b> |
| <b>ASG-PRO</b>  | <b>\$8,450/pr.</b> |

**AAE  
Extended  
25-Year  
Limited  
Warranty**



ASG-NCAA Model Shown



*Want perfectly aligned uprights every time? No need for "gimmicky" adjustable upright features with your AAE goals.*



*Exclusive "C Channel" design increases strength and durability.*



*Specially engineered sub-surface plate eliminates ground sleeves.*

# Offset Football Goals

**AAE  
Extended  
25-Year  
Limited  
Warranty**




ASG-HS/8 Model Shown with Optional Powder-coated Centerpost

## 8 Ft. Offset Football Goals

- Greater offset accommodates other sports goals underneath the crossbar
- Eight-foot offset centerpost is fabricated of 5-1/2" diameter zinc-coated and primed steel
- Welded 3/4" thick steel plate at bottom of centerpost for ground anchoring
- Exclusive "C-Channel" attaches to the 5-1/2" diameter heavy-wall aluminum crossbar
- 20' high uprights (30' for pro model) are made of 4" diameter structural aluminum tubing
- Specially engineered sub-surface plate allows easy installation and adjustments - no ground sleeves
- Uprights spaced 23' 4" apart for high school, while the college and pro models are 18' 6"
- All hardware is galvanized steel
- Entire goal features a white or yellow powder-coated finish for minimal maintenance
- Optional FBC Foundation Box & Cover kits make accessing the goal foundation plates for removal a simple task
- Custom centerpost powder-coating available for additional cost

|                   |                    |
|-------------------|--------------------|
| <b>ASG-HS/8</b>   | <b>\$8,650/pr.</b> |
| <b>ASG-NCAA/8</b> | <b>\$8,650/pr.</b> |
| <b>ASG-PRO/8</b>  | <b>\$9,000/pr.</b> |



## Goal Post Pads

- Designed to fit most any goal post
- Provide additional safety on the field
- Premium foam - 4" and 6" thick x 78" high - encased in double-knife coated vinyl
- Velcro flap allows for simple installation
- Available in blue, red, green, yellow, navy blue, orange, black and maroon (see below)

*A velcro flap that runs the entire length of the pad guarantees a secure fit.*

- Other colors are also available - call for details
- Silkscreen your school initials or nickname for an additional charge

|                        |                  |
|------------------------|------------------|
| <b>GP4R (4" thick)</b> | <b>\$650/pr.</b> |
| <b>GP6R (6" thick)</b> | <b>\$795/pr.</b> |

## COLOR CHART

|  |  |   |  |
|--|--|---|--|
|  BLUE |  GREEN  |  NAVY BLUE |  BLACK  |
|  RED  |  YELLOW |  ORANGE    |  MAROON |


*Other colors also available - call for details. Colors shown here are as accurate as printing allows. Colors appear brighter on products when seen outdoors.*



Spring-loaded pin makes for a quick transition in a matter of seconds.



Hinged baseplate allows for easy raising and lowering of goal.



**AAE  
Extended  
25-Year  
Limited  
Warranty**

## Hinged 180° Rotational 8' Offset Football Goal Posts


- Goal post rotates 180° in opposite direction to remove football crossbar from interfering with soccer game play - only used when football and soccer share the same end line
- Hinged baseplate design allows for easy raising and lowering of assembled goal post
- Standard 8' offset gooseneck to accommodate our soccer goal's groundbar
- Eight-foot offset centerpost (gooseneck) is fabricated of 5-1/2" diameter zinc-coated and primed steel; 6' Offset/Custom upright heights available upon request
- Welded 3/4" thick steel plate with ribs for ground anchoring
- Exclusive "C-Channel" provides 4' additional welded support for attaching 5-1/2" diameter heavy-wall aluminum crossbar
- 20' high uprights are made of 4" diameter structural aluminum tubing
- Specially engineered sub-surface plate allows easy installation and adjustments - no ground sleeves
- Uprights spaced 23' 4" apart for High School, while the NCAA model is 18' 6" apart
- All hardware is galvanized steel
- Entire goal features a white or yellow powder-coated finish for minimal maintenance

|                       |                     |
|-----------------------|---------------------|
| <b>HSG-HS/8-180</b>   | <b>\$10,750/pr.</b> |
| <b>HSG-NCAA/8-180</b> | <b>\$10,750/pr.</b> |

## Expandable Offset Football Goals

- Perfect for facilities that hold both high school and college games
- Innovative crossbar design that, in a matter of minutes, adjusts the uprights to either the official high school or official NCAA width
- Unique Safety Guide is a slot/groove design made of UHMW, preventing upright rotation while bolts are removed for adjustments
- Six-foot offset centerpost is fabricated of 5-1/2" diameter steel
- Exclusive "C-Channel" attaches to the 5-1/2" diameter heavy-wall aluminum crossbar
- All hardware is galvanized steel
- Entire goal features a white or yellow powder-coated finish for minimal maintenance
- Optional FBC Foundation Box & Cover provides easy access for goal removal

|                          |                     |
|--------------------------|---------------------|
| <b>ESG</b>               | <b>\$10,350/pr.</b> |
| <b>ESG/8 (8' offset)</b> | <b>\$10,900/pr.</b> |



**AAE  
Extended  
25-Year  
Limited  
Warranty**



AAE's Safety Guide prevents uprights from rotating during adjustment stages.

ESG/8 Model Shown

# Specialty Football Goals



*SFG-PRO Model Shown  
Atlantic Health Jets Training Center*

## Suspended Football Goal Post

- Furnish your indoor facility with our quality designed suspended football goal post
- Similar to our offset style goal posts minus the gooseneck
- Features a stainless steel internal tube with welded structural eyelet
- Goals are manufactured with 4" diameter aluminum tubing for uprights and 5-9/16" diameter heavy-wall aluminum crossbar with welded inserts
- Choose from three (3) models: HS model features 23'-4" upright spacing with 20' uprights; NCAA model features 18'-6" upright spacing with 20' uprights; and PRO model features 18'-6" between uprights and 35' uprights
- Durable powder-coated finish is standard and available in high visibility White, Yellow and Day-Glo® Saturn Yellow

|                 |                    |
|-----------------|--------------------|
| <b>SFG-HS</b>   | <b>\$3,195/ea.</b> |
| <b>SFG-NCAA</b> | <b>\$2,995/ea.</b> |
| <b>SFG-PRO</b>  | <b>\$3,595/ea.</b> |



*U.S. Patent No. 6,375,585*

## Accu-Kick Adjustable Practice Football Goal

- Used by several NFL teams to help their kickers score better under pressure by narrowing target practice, honing visualization techniques and building confidence
- Uprights slide along the horizontal crossbar to adjust anywhere from 18' 6" to 6' - reduce or extend by pulling each upright to desired setting by using scale printed on underside of crossbar
- Uprights are painted white on one side and yellow on the opposite side to allow a 180° rotation for an instant on-field color change (important for college level kickers)
- Constructed of heavy-wall aluminum and stainless steel, making it durable under all weather conditions
- Two 24' high uprights are made of 4" diameter aluminum tubing
- Uprights attached at the base to a sliding stainless steel sleeve that independently runs along the 4" square aluminum crossbar
- Stainless steel handle provided to manually adjust uprights
- Four 12" pneumatic tires mounted on stainless steel axles, so it can be easily moved by two people

|                |                |
|----------------|----------------|
| <b>AK-APFG</b> | <b>\$6,250</b> |
|----------------|----------------|

## Rollaway "H" Goals


- AAE originated the "portable" football goal in 1968 to meet the needs of both NFL® teams and NCAA universities in providing the greatest flexibility for practice facilities
- Fabricated with 4" diameter heavy-wall aluminum tubing connected with structurally reinforced aluminum
- Uprights spaced 18' 6" apart at 35' height for PRO model and 20' height for NCAA model, and 14' uprights spaced 23' 4" to meet NFHS width specs
- Tighter RHG-PRO/9 model features 9' portable practice target, which NFL teams including the San Diego Chargers and Miami Dolphins prefer
- Four 12" pneumatic tires with stainless steel axles are provided for ease in moving the goal
- Unpainted, mill finish is standard on entire goal for minimal maintenance
- Custom powder-coated finishes available

|                             |                    |
|-----------------------------|--------------------|
| <b>RHG-HS</b>               | <b>\$3,895/ea.</b> |
| <b>RHG-NCAA</b>             | <b>\$3,895/ea.</b> |
| <b>RHG-PRO</b>              | <b>\$4,995/ea.</b> |
| <b>RHG-PRO/9 (9' width)</b> | <b>\$3,450/ea.</b> |

White or yellow powder-coated uprights & crossbar upgrade available for \$550/ea.



RHG-NCAA Model Shown w/ Optional Powder-coated Uprights



RHG-PRO/9 model shown above with optional powder-coated uprights at San Diego Chargers' practice facility.



AAE  
Extended  
20-Year  
Limited  
Warranty



AAE  
Extended  
20-Year  
Limited  
Warranty



AAE  
Extended  
20-Year  
Limited  
Warranty

## "H" Football Goals

- Used for both football and rugby, manufactured with 4" diameter structural aluminum tubing with welded inserts for crossbar attachment
- High school uprights spaced 23' 4"/20' overall height and collegiate uprights spaced 18' 6" apart with overall height of 30' to meet current NCAA specifications
- Aluminum ground sleeves and caps included
- Durable mill finish is standard - available in white or yellow painted finish upon request

|                 |                    |
|-----------------|--------------------|
| <b>AHG-HS</b>   | <b>\$3,000/pr.</b> |
| <b>AHG-NCAA</b> | <b>\$3,200/pr.</b> |

## Official Rugby Goal

- Similar to our "H" football goals, but designed to meet official rugby regulations
- Uprights spaced 18' 4-1/2" apart with overall height of 30' for college or club level and 44' for international competition
- Uprights are 4" dia. aluminum tubing with welded inserts for crossbar attachment
- Aluminum ground sleeves and caps included
- Durable white powder-coated finish is standard

|                    |                    |
|--------------------|--------------------|
| <b>AHG-RUGBY</b>   | <b>\$3,500/pr.</b> |
| <b>AHG-RUGBY-I</b> | <b>\$4,695/pr.</b> |

## Official Hinged Rugby Goal

- Improved design from our official rugby goal with a hinged base plate, which makes installing and removing goal a simpler task
- Hinged base plate sits above ground level (see inset photo) - only ground sleeves are installed below ground
- White powder-coated (standard) 4" dia. structural aluminum tubing with welded inserts for crossbar and upright attachment
- Uprights spaced 5.60 meters (18' 4-1/2") apart with overall height of 9.14 meters (30') for high school, college or club levels and 13.41 meters (44') for international competition

|                      |                    |
|----------------------|--------------------|
| <b>AHG-RUGBY/H</b>   | <b>\$6,295/pr.</b> |
| <b>AHG-RUGBY-I/H</b> | <b>\$7,995/pr.</b> |

# Combination Goals

## Combination Goals

- Designed for synthetic or natural turf multi-purpose fields, where field space is limited
- Comes complete with a set of small loop stays for net support (nets sold separately), aluminum ground sleeves and caps
- Mill finish is standard on entire goal for minimal maintenance
- White goal mouth and/or painted uprights available upon request for an additional cost

### HS models only:

- 4" diameter aluminum "one-piece" uprights, bent to accommodate 24' for soccer and 23' 4" for football
- Soccer portion of the uprights and crossbar are fabricated of 4" diameter slotted, structural aluminum extrusion designed to accept our MNC Molded Net Clips, which easily attach soccer nets
- CSF-HS has the additional feature of a 4" flat aluminum facing welded to the soccer portion of each goal

### NCAA models only:


- Fabricated with two-piece uprights and a welded truss beam design for the crossbar in order to meet the required 18' 6" width for football and 24' width for soccer
- CSF-NCAA with flat facing is also available



*CAG-HS Model Shown with Optional Powder-coating*

|                 |                    |
|-----------------|--------------------|
| <b>CAG-HS</b>   | <b>\$4,650/pr.</b> |
| <b>CAG-NCAA</b> | <b>\$5,350/pr.</b> |
| <b>CSF-HS</b>   | <b>\$5,200/pr.</b> |
| <b>CSF-NCAA</b> | <b>\$5,900/pr.</b> |

*Simply remove the net and stays and the CAG becomes an official football goal within minutes.*



*RCG-HS Model Shown with Optional Powder-coating*

*By detaching the net, the RCG instantly becomes an official football goal.*

*White/yellow combo powder-coated uprights/crossbar upgrade (shown above) available for \$950.*

## Rollaway Combination Goals

- Originally designed for Georgetown University's rooftop athletic field, many other schools appreciate its compact design for synthetic or natural turf and multi-purpose fields where space is limited
- 4" diameter structural aluminum tubing
- Uprights and crossbar made of a custom slotted, structural aluminum extrusion designed to accept our MNC Molded Net Clips, which easily attach soccer nets (sold separately)
- All side stays and groundbars are made of a heavy-wall 4" diameter aluminum extrusions
- Two sets of dual 12" pneumatic tires with stainless axles are included with each goal
- Mill finish is standard - white goal mouth and/or painted uprights available upon request


### HS model only:

- "One-piece" uprights, bent to accommodate 24' for soccer and 23' 4" for football

### NCAA model only:

- Features two-piece upright construction and a welded truss beam crossbar design to meet the required 24' for soccer and 18' 6" for football

|                 |                     |
|-----------------|---------------------|
| <b>RCG-HS</b>   | <b>\$9,600/pr.</b>  |
| <b>RCG-NCAA</b> | <b>\$10,300/pr.</b> |



### NEW! Portable Quarterback Station

- Allow your quarterbacks to practice wherever you want with this mobile unit
- All-aluminum, welded frame is lightweight and easily moved on its built in cart
- Knotless, nylon netting features three catch pockets and moveable vinyl targets

**PQBS** **\$3,395**



*Specially designed hitch attachment with wheels & handle.*



*Removable wheels included for easy transport.*



**AAE  
Extended  
20-Year  
Limited  
Warranty**

### 90° Practice Hurdle


- **EXCLUSIVE!** UV-Stabilized Polycarbonate ("UVSP") Risers - scratch & fade resistant OmniColor® resins, recessed stainless steel hardware, redesigned push-button notches for smoother height adjustment
- Aerospace aluminum frame with dome welded end caps and self-adjusting weights
- Push-button height adjustment modified to 24"/27"/30"/33"/36" (39" height not available)
- Flat base, stabilizer bar and reinforced post welded into world's strongest 3-way hurdle frame
- Double-web Lexan board including FREE\* custom silkscreen

**XLAH-CP** **\$180**

### Football BallStopper® System

- Keeps field goal and extra point kicks inside the field, protecting bystanders, cars and yards from stray footballs
- Available in 35' or 40' (8" dia. x .188" wall) height sets that outfit two endzones (4 posts/2 nets)
- Structurally engineered four-post design installs into provided aluminum ground sleeves
- Knotless HTPP nets (3-1/2" sq. x 50' wide x 35'/40' high) are treated for outdoor use
- Rope and pulley system featuring a tie-down cleat, makes it easy to raise or lower the net for each game or as required
- Mill finish is standard on posts (custom powder-coating also available at extra cost)

**FBS-35** (35' post height) **\$10,250/set**  
**FBS-40** (40' post height) **\$11,550/set**



*Tie-down cleat prevents the hoisting rope from becoming a tripping hazard.*

# Field Essentials



Shown In-Ground with Contractor Applied Turf on Cover

## Utility Boxes & Covers

- Perfect solution to enclose on-field communication devices and outlets
- Galvanized box construction deters the elements and provides a seamless finish for any track or field
- Reinforced aluminum cover designed to accept any track/synthetic surface
- Three standard sizes, but also available in custom sizes upon request

|                                   |                    |
|-----------------------------------|--------------------|
| <b>UBC-GA/101830</b> (18" x 30")  | <b>\$725/ea.</b>   |
| <b>UBC-GA/103636</b> (36" square) | <b>\$950/ea.</b>   |
| <b>UBC-GA/104242</b> (42" square) | <b>\$1,050/ea.</b> |



## Divided Utility Box & Cover

- Special divided layout separates electric from other utilities
- Dual-lid design provides individual access to each side
- Included PVC insert allows lids to be closed, yet electrical cords to remain plugged in underneath
- Box construction (galvanized or aluminum) deters the elements and provides seamless finish for any track or field (see inset photo)
- Reinforced aluminum cover designed to accept any track/synthetic surface
- Standard size 10"D x 18"W x 30"L - custom sizes available upon request

|                                     |                  |
|-------------------------------------|------------------|
| <b>UBC-GA/101830-D</b> (galvanized) | <b>\$975/ea.</b> |
| <b>UBC-AL/101830-D</b> (aluminum)   | <b>\$975/ea.</b> |



## Football Landing Mats

- Fabricated of premium 12" thick foam encased in double knife-coated vinyl (6'W and 10'L)
- Heavy duty handles and buckle straps are box-tacked to encasement body, so there is no hardware to break or lose
- Available in red, blue, navy blue, green, black, orange, maroon or yellow

|            |                    |
|------------|--------------------|
| <b>FLM</b> | <b>\$1,100/ea.</b> |
|------------|--------------------|



## Yard Line Markers

- Display yardage (G, 10, 20, 30, 40, 50) with foldable 18" sq. "A-frame" & 16" vinyl base
- 1" thick sturdy foam encased in double knife-coated vinyl cover
- Available in white, black, blue, red, green, orange or yellow/numerals silkscreened in choice of color


|                        |              |
|------------------------|--------------|
| <b>YLM</b> (set of 11) | <b>\$650</b> |
|------------------------|--------------|



## Goal Line Markers

- Ideal for field marking, as well as for drills
- Molded from orange flexible PVC
- 4" sq. and 18" high with weighted safety base
- Pylons are sold in sets of four

|                       |             |
|-----------------------|-------------|
| <b>GLM</b> (set of 4) | <b>\$50</b> |
|-----------------------|-------------|



## Wind Directional Flags

- Included with all AAE football goals, but also available separately
- Two-ply, red nylon fabric (4"W x 42"L)

|                         |                 |
|-------------------------|-----------------|
| <b>WDF</b>              | <b>\$14/ea.</b> |
| <b>WDF-4</b> (set of 4) | <b>\$54</b>     |